

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Burlington City/Township Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	5	10	0	0	5	10
AIDS-CD4 Only	#	#	#	#	20	40
HIV Only	#	#	#	#	25	50
-----	-----	---	-----	---	-----	---
Total	48	100	#	#	50	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	9	19	0	0	9	18
5-12	#	#	Black, Not Hispanic	#	#	#	#	32	64
13-19	0	0	Hispanic	6	13	0	0	6	12
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	9	18	-----	-----	---	-----	---	-----	---
40-49	18	36	Total	48	100	#	#	50	100
50+	18	36							
Unk.	0	0							
-----	-----	---							
Total	50	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	10	33	0	0	10	21
Injection drug user (IDU)	9	30	7	39	16	33
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	6	20	5	28	11	23
-----	-----	---	-----	---	-----	---
Total	30	100	18	100	48	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Burlington City/Township Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	16	(28)	13 (93)	0	(0)	0 (.)	16	(27)
Other OI w/o PCP	#	(#)	# (#)	#	(#)	# (#)	#	(#)
KS Alone	#	(#)	# (#)	#	(#)	# (#)	#	(#)
No Disease Listed	24	(41)	# (#)	0	(0)	0 (.)	24	(41)
Total	58	(100)	33 (70)	#	(#)	# (#)	59	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	15	26	0	0	15	25
5-12	#	#	Black, Not Hispanic	#	#	#	#	#	#
13-19	0	0	Hispanic	#	#	#	#	#	#
20-29	#	#	Other/Unknown	0	0	0	0	0	0
30-39	30	51	-----	-----	-----	-----	-----	-----	-----
40-49	18	31	Total	58	100	#	#	59	100
Over 49	8	14							
Unknown	0	0							
Total	59	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	13	34	0	0	13	22
Injection drug user (IDU)	16	42	10	50	26	45
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	10	17
Risk not reported/other***	#	#	#	#	#	#
Total	38	100	20	100	58	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	0	.	#	#
Risk not reported/other***	0	0	0	.	0	0
Total	#	#	0	.	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Burlington City/Township Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1987	#	#	#
1988	5	5	100%
1989	#	#	#
1990	#	#	#
1991	#	#	#
1992	8	5	63%
1993	6	5	83%
1994	5	#	#
1995	#	#	#
1996	5	#	#
1997	#	#	#
1998	#	#	#
1999	#	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
2003	#	#	#
-----	-----	-----	-----
Total	59	34	58%